




Key to Algebra[®]

1

Student
Workbook

OPERATIONS ON INTEGERS



By Julie King and Peter Rasmussen

Name _____

Class _____

TABLE OF CONTENTS

Multiplying	1
Factoring	2
Prime Numbers	4
Prime Factors	5
Integers	7
Comparing Integers	7
Showing Gains and Losses	8
Adding Integers	9
Opposites	16
Subtracting Integers	18
Multiplying Integers	24
Order of Operations	29
Dividing Integers	33
Written Work	35
Practice Test	36

Egyptians and Babylonians

Mathematics began as a practical science for constructing calendars, administering harvests, organizing public works and collecting taxes. At first the operations of arithmetic were emphasized, but they evolved into algebra by around 2000 a.c. This occurred in two different parts of the world, Egypt (in north Africa) and Babylonia (the Middle East).

The Egyptians wrote on papyrus scrolls. Their method was similar to our way of writing books today, but the method used by the Babylonian was quite different. They impressed wedge-like marks on clay tablets that were either baked hard in ovens or set to dry in the sun. These scrolls and tablets are our sources of information about the great Egyptian and Babylonian civilizations.


The Egyptian *Rhind Papyrus* contains material from about 1800 a.c. It is the oldest document in the world that is devoted entirely to mathematics. When stretched from end to end it measures 18 feet long and one foot wide.

The *Rhind Papyrus* begins with some lessons in arithmetic. Then it solves 84 problems in a wide variety of areas. Some problems are called "aha problems" because the unknown quantity was called "aha." Problem 24 is shown below in the original writing called hieroglyphics.

It reads:

Aha and its 1/7 added together become 19. What is aha?

Today we write this problem as the equation $x + (1/7)x = 19$. The *Rhind Papyrus* shows that aha is equal to $16 \frac{5}{8}$.



In Babylonia there was an abundance of tablets containing one problem each instead of one tablet containing many problems. Each tablet is about the size of the palm of your hand. The front side of one tablet unearthed by archaeologists reads: *I have multiplied length and width to obtain area 252. I have added length and width to get 32. What are the*



length and width? The reverse side of the tablet gives the details of the solution: *length = 18, width = 14*. Notice that when you multiply these numbers you get 252 and when you add them you get 32. The Babylonians checked their work this way too.

The method that the Babylonians used to solve the problem is amazingly advanced. Today it is called the "quadratic formula."

On the cover of this book a Babylonian student practices writing a multiplication table on a clay tablet. The teacher wrote a table on one half of the tablet, and the student must copy it.

Historical note by David Zitarell
Illustration by Jay Florn

IMPORTANT NOTICE: This book is sold as a student workbook and is *not* to be used as a duplicating master. No part of this book may be reproduced in any form without the prior written permission of the publisher. Copyright infringement is a violation of Federal Law.

Copyright © 1990 by Key Curriculum Project, Inc. All rights reserved.

® *Key to Fractions, Key to Decimals, Key to Percents, Key to Algebra, Key to Geometry, Key to Measurement, and Key to Metric Measurement* are registered trademarks of Key Curriculum Press.

Published by Key Curriculum Press, 1150 65th Street, Emeryville, CA 94608

Printed in the United States of America

24

09

ISBN 978-1-55953-001-9

Multiplying

In arithmetic we wrote multiplication problems these two ways:

$$3 \times 5 = 15$$

$$\begin{array}{r} 3 \\ \times 5 \\ \hline 15 \end{array}$$

In algebra we show multiplication by using a dot or by using parentheses. Below are some examples.

$$3 \cdot 5 = 15$$

$$3(5) = 15$$

$$(3)(5) = 15$$

Here are some multiplication problems for you to do:

$$4 \cdot 3 =$$

$$10 \cdot 7 =$$

$$2 \cdot 4 =$$

$$3 \cdot 6 =$$

$$(8)(3) =$$

$$(11)(2) =$$

$$(8)(4) =$$

$$3 \cdot 5 \cdot 5 =$$

$$8(9) =$$

$$4(4) =$$

$$3(9) =$$

$$10 \cdot 10 =$$

$$9 \cdot 10 =$$

$$1 \cdot 5 =$$

$$6 \cdot 5 =$$

$$6 \cdot 6 =$$

$$4 \cdot 9 =$$

$$9 \cdot 9 =$$

Below is a multiplication table that needs to be finished. Finish it and then use it to check the problems you just did.

	1	2	3	4	5	6	7	8	9	10	11	12
1	1	2	3	4	5	6						
2	2	4	6	8								
3	3	6	9									
4												
5												
6								48				
7												
8												
9												
10												
11												
12												

Factoring

In a multiplication problem like

$$5 \cdot 7 = 35$$

5 and 7 are called factors of 35. Factors are numbers which are multiplied. Many times in algebra we have to break down a number into factors. Both factors will have to be whole numbers. Here are some examples:

$$\begin{array}{c} \cancel{24} \\ \wedge \\ 12 \cdot 2 \end{array}$$

$$24 = 12 \cdot 2$$

$$\begin{array}{c} \cancel{14} \\ \wedge \\ 2 \cdot 7 \end{array}$$

$$14 = 2 \cdot 7$$

$$\begin{array}{c} \cancel{64} \\ \wedge \\ 8 \cdot 8 \end{array}$$

$$64 = 8 \cdot 8$$

Below are some numbers for you to factor. See if you can factor each number without using any fractions.

$$\begin{array}{c} \cancel{15} \\ \wedge \\ 3 \cdot 5 \end{array}$$

$$15 = 3 \cdot 5$$

27

8

16

50

72

20

36

22

63

56

28

81

49

100

77

39

132

30

30

30

48

48

48

17

5

23

Prime Numbers

Let's try to factor the number 17. The only way we can do it is like this:

$$\begin{array}{c} \cancel{17} \\ \wedge \\ 1 \cdot 17 \\ \boxed{17 = 1 \cdot 17} \end{array}$$

We still end up with a 17, so you can see that we really didn't break down the 17 into two smaller numbers. In fact, that's impossible to do without using fractions.

A number, like 17, that can only be factored into 1 times itself is called a **prime number**. 5 is also a prime number, since $1 \cdot 5$ is the only way it can be factored using whole numbers. Can you think of some more prime numbers? (Note: 1 is not considered a prime number. 2 is the smallest prime number.)

Try to factor each number into a product of smaller numbers. If a number is prime, draw a circle around it.

②
prime

③
prime

~~4~~
 \wedge
 $2 \cdot 2$

⑤
prime

~~6~~
 \wedge
 $2 \cdot 3$

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

Prime Factors

Here are some numbers that we have already broken down:

$$\begin{array}{c} 24 \\ \wedge \\ 12 \cdot 2 \end{array}$$

$$\begin{array}{c} 14 \\ \wedge \\ 2 \cdot 7 \end{array}$$

$$\begin{array}{c} 64 \\ \wedge \\ 8 \cdot 8 \end{array}$$

However, only one of them has been broken down all the way. This time we are going to break them all the way down into prime factors:

$$\begin{array}{c} 24 \\ \wedge \\ 12 \cdot 2 \\ \wedge \\ 3 \cdot 4 \\ \wedge \\ 2 \cdot 2 \end{array}$$

$$\begin{array}{c} 14 \\ \wedge \\ 2 \cdot 7 \end{array}$$

$$\begin{array}{c} 64 \\ \wedge \\ 8 \cdot 8 \\ \wedge \quad \wedge \\ 4 \cdot 2 \quad 2 \cdot 4 \\ \wedge \quad \wedge \\ 2 \cdot 2 \quad 2 \cdot 2 \end{array}$$

$$24 = 3 \cdot 2 \cdot 2 \cdot 2$$

$$14 = 2 \cdot 7$$

$$64 = 2 \cdot 2 \cdot 2 \cdot 2 \cdot 2 \cdot 2$$

Break down each number into prime factors.

70


12

22

$$70 =$$

$$12 =$$

$$22 =$$



90

24

$$20 = 2 \cdot 2 \cdot 5$$

$$90 =$$

$$24 =$$

18

81

30

$$18 =$$

$$81 =$$

$$30 =$$

48

100

32

$$48 =$$


$$100 =$$

$$32 =$$

Integers

Integers are a lot like the whole numbers that you already know. The main difference is that there are **negative integers** as well as **positive integers**. Zero is also an integer.


Here is one way we can picture the set of integers:



As you can see, the negative integers are to the left of zero. We use a little raised minus sign to show that an integer is negative. Sometimes we use a little raised plus sign to show that an integer is positive, but we usually don't use any sign at all when the integer is positive. Zero is neither positive nor negative.

Comparing Integers

By looking at the number line we can easily tell which integers are **greater (larger)** than a certain number and which are **less (smaller)** than the number.



1 is greater than -2 because it is to the *right* of -2.

-4 is less than -2 because it is to the *left* of -2.

Write $>$, $=$ or $<$ between the two integers to show whether the first is greater than, equal to or less than the second.

1 is greater than -2.

-4 is less than -2.

$$1 > -2$$

$$-4 < -2$$

$$-2 < -4$$

$$5 > 2$$

$$-7 < -3$$

$$2 < -4$$

$$2 < 5$$

$$-4 = -4$$

$$-5 < 5$$

$$-2 < 0$$

$$3 > -3$$

$$1 > -1$$

$$0 < 2$$

$$-2 < -6$$


$$-1 < 0$$

Showing Gains and Losses

You can also use integers to show gains and losses. Positive integers show gains, and negative integers show losses. Zero is used if there is no change. Here is how we can use integers to show gains and losses in a football game:

We gained 5 yards.

5




positive 5

5

gaining →

We lost 3 yards.

-3




negative 3

-3

← losing

There was no change (no gain and no loss).


0




zero (not positive and not negative)

0


You show the following gains and losses.




We gained 4 yards.



We lost 5 yards.



We gained 2 yards and then gained 6 more yards.



We gained 5 yards and then lost 8 yards.

Adding Integers

In arithmetic you learned the operations of adding, subtracting, multiplying and dividing whole numbers and fractions. In algebra, one of the first things you have to learn is how to add, subtract, multiply and divide integers.

To add integers we can think of a football game. A positive number stands for ground gained by our team; a negative number shows ground lost. Zero is used when there is no gain or loss. Here are some examples:

Our team lost 5 yd. and then our team lost 3 yd. Altogether our team lost 8 yd.

$$-5 + -3 = -8$$

We gained 8 yd. and then we lost 3 yd. Altogether we gained 5 yd.

$$8 + -3 = 5$$

We gained 2 yd. and then we lost 5 yd. Altogether we lost 3 yd.


$$2 + -5 = -3$$

We gained 5 yd. and then we lost 5 yd. Altogether we ended up right where we started.


$$5 + -5 = 0$$

If you ever have trouble adding integers, then you can draw a football field to help you figure out the answer.

Problem: $-5 + -8 =$



Problem: $9 + -21 =$



Use the football field to help you do each problem below.

$$-3 + -5 =$$

$$13 + -4 =$$

$$6 + 4 =$$

$$8 + -9 =$$

$$8 + -2 =$$

$$-5 + -6 =$$

$$7 + -7 =$$

$$-14 + 6 =$$

$$-3 + 5 =$$

$$-1 + 10 =$$

$$-4 + 9 =$$

$$1 + -10 =$$

$$6 + -13 =$$

$$-12 + 0 =$$

$$-5 + 5 =$$

$$13 + -13 =$$

$$-6 + -6 =$$

$$10 + -20 =$$

$$4 + 2 =$$

$$8 + -16 =$$

$$5 + -3 =$$

$$-12 + 25 =$$



Add.

$$-6 + -3 = \quad 4 + 5 = \quad 3 + 2 = \quad 7 + 6 =$$

$$8 + -5 = \quad -9 + -2 = \quad 3 + 1 = \quad 8 + -4 =$$

$$-5 + -3 = \quad -5 + -8 = \quad 3 + 0 = \quad 9 + -7 =$$

$$-8 + 8 = \quad -9 + 4 = \quad 3 + -1 = \quad -7 + -7 =$$

$$-6 + 5 = \quad 10 + -8 = \quad 3 + -2 = \quad -7 + 9 =$$

$$12 + -6 = \quad 2 + -11 = \quad 3 + -3 = \quad -11 + 5 =$$

$$-11 + 0 = \quad 13 + -9 = \quad 3 + -4 = \quad -1 + 1 =$$

$$-16 + 7 = \quad -13 + 5 = \quad 3 + -5 = \quad 17 + -8 =$$

$$8 + -3 = \quad -5 + 9 = \quad 3 + -6 = \quad -14 + 14 =$$

$$\begin{array}{r} 2 \\ + 6 \\ \hline \end{array} \quad \begin{array}{r} -5 \\ + -6 \\ \hline \end{array} \quad \begin{array}{r} 6 \\ + -9 \\ \hline \end{array} \quad \begin{array}{r} -7 \\ + -4 \\ \hline \end{array} \quad \begin{array}{r} 9 \\ + -3 \\ \hline \end{array} \quad \begin{array}{r} -11 \\ + 4 \\ \hline \end{array} \quad \begin{array}{r} -12 \\ + 15 \\ \hline \end{array} \quad \begin{array}{r} -11 \\ + 11 \\ \hline \end{array}$$

$$14 + 0 = \quad -6 + 0 = \quad 37 + 0 = \quad -65 + 0 =$$

$$0 + 3 = \quad 0 + -8 = \quad 0 + -15 = \quad 0 + 39 =$$

Adding zero is easy! We just have to look at the other number in the problem and that's the answer. Here is a way we can say this:

If a is any integer, then $a + 0 = a$
and $0 + a = a$.

This is called the Principle for Adding Zero.

$-3 + 7 =$ $7 + -3 =$	$5 + 8 =$ $8 + 5 =$	$-6 + -2 =$ $-2 + -6 =$
$-16 + -5 =$ $-5 + -16 =$	$-16 + 18 =$ $18 + -16 =$	$-47 + 47 =$ $47 + -47 =$
$-3 + 35 =$ $35 + -3 =$	$30 + -80 =$ $-80 + 30 =$	$-5 + -21 =$ $-21 + -5 =$
$-100 + -62 =$ $-62 + -100 =$	$100 + 99 =$ $99 + 100 =$	$100 + -25 =$ $-25 + 100 =$
$100 + -99 =$ $-99 + 100 =$	$100 + -53 =$ $-53 + 100 =$	$100 + -77 =$ $-77 + 100 =$

As you can see from the problems on this page, it doesn't matter which of the numbers comes first when we are adding. We get the same answer either way. This is what we mean when we say that addition of integers is commutative.

Commutative Principle for Addition of Integers:
If a and b are integers, then $a + b = b + a$.

For example, $\underbrace{-3 + 7}_4 = \underbrace{7 + -3}_4$

On this page, the parentheses tell you which pair of numbers to add first.

$$\begin{aligned} & \overset{2}{(5 + -3)} + -6 = -4 \\ & 5 + (-3 + -6) = -4 \\ & \quad \quad \quad \underbrace{-9} \end{aligned}$$

$$\begin{aligned} & \overbrace{(-4 + -8)} + -7 = \\ & -4 + \underbrace{(-8 + -7)} = \end{aligned}$$

$$\begin{aligned} & \overbrace{(6 + -4)} + 7 = \\ & 6 + \underbrace{(-4 + 7)} = \end{aligned}$$

$$\begin{aligned} & \overbrace{(-3 + 7)} + -5 = \\ & -3 + \underbrace{(7 + -5)} = \end{aligned}$$

$$\begin{aligned} & (-8 + 7) + 5 = \\ & -8 + (7 + 5) = \end{aligned}$$

$$\begin{aligned} & (-3 + -10) + 6 = \\ & -3 + (-10 + 6) = \end{aligned}$$

$$\begin{aligned} & (-6 + -9) + 9 = \\ & -6 + (-9 + 9) = \end{aligned}$$

$$\begin{aligned} & (-23 + -77) + -57 = \\ & -23 + (-77 + -57) = \end{aligned}$$

These problems show that it makes no difference which pair of numbers we add first. The answer always comes out the same. This is what we mean when we say that addition of integers is **associative**.

Associative Principle for Addition of Integers:

If a , b and c are integers, then $(a + b) + c = a + (b + c)$.

For example, $\underbrace{(-8 + 7)}_4 + 5 = -8 + \underbrace{(7 + 5)}_4$

Write a positive or negative number or zero for each sentence.

The Bears lost 16 yards.	-16
The Raiders gained 38 yards.	
Don won 80¢.	
Harry lost 65¢.	
Tom broke even.	
The temperature went up 8 degrees.	
The temperature went down 13 degrees.	
Marty lost 5 kilograms.	
Irene gained 3 kilograms.	
Barbara stayed the same weight.	
Mr. Green spent \$20.	
Mrs. Williams earned \$86.	
Brenda lost \$3.	
Theresa found \$1.	
Carla didn't find anything.	
The water level fell 7 centimeters.	

Write a problem for each sentence.

The Giants gained 8 yards and then lost 5 yards.	$8 + -5$
The temperature fell 6 degrees and then fell 5 more degrees.	
Marty lost 5 kilograms but then gained back 3.	
Mrs. Williams got paid \$86 and then spent \$40.	
Mr. Lopez lost \$3, but then he found \$2 of it.	
The water level rose 11 cm and then fell 11 cm.	
An airplane climbed 2000 meters, then climbed another 1500 meters.	

For each exercise below you have to do two things.

1. First write down the problem.
2. Then find the answer.

The Jackets football team gained 9 yards on their first play. On the next three plays they lost 4 yards, gained 3 yards and lost 3 yards. How did the team do altogether on these four plays?

Problem: $9 +^{-}4 + 3 +^{-}3 = 5$

Answer: They gained 5 yards.

The Raiders gained 2 yards, lost 18 yards, lost 2 yards and then gained 10 yards. How did they do on these four plays?

Problem:

Answer:

James was playing a game with his friends. He won 35 points. Then he lost 15, lost 40 and won 55. How did he come out?

Problem:

Answer:

Donna won 43 points, lost 17, lost 19, won 17, lost 24, won 19 and lost 43. How did she come out?

Problem:

Answer:

Shirlee had a savings account. Her first deposit was \$35. Then she deposited \$10, withdrew \$20, withdrew \$5, deposited \$50, withdrew \$10 and deposited \$25. How much does she now have in her account?

Problem:


Answer:

Mr. Jackson had \$100 in his checking account. He wrote checks for \$30, \$15 and \$20. Then he deposited \$50 and wrote checks for \$75, \$15 and \$10. How much does Mr. Jackson have in his account now? (Do you see why the bank doesn't want Mr. Jackson to write any more checks?)

Problem:

Answer:

Opposites



See how the integers are matched up in the picture? Each integer is matched with its opposite. We use a dash to show the opposite of a number.

The opposite of 5 is -5.	$-(5) = -5$
The opposite of -5 is 5.	$-(-5) = 5$
The opposite of 0 is 0.	$-(0) = 0$
The opposite of -13 is 13.	$-(-13) =$
The opposite of 13 is -13.	$-(13) =$
The opposite of -8 is 8.	$-(-8) =$
The opposite of 8 is -8.	$-(8) =$

Here are some problems where you have to add opposites:

$$5 + -5 =$$

$$-5 + 5 =$$

$$-3 + 3 =$$

$$3 + -3 =$$

$$46 + -46 =$$

$$-8 + 8 =$$

$$0 + 0 =$$

$$8 + -8 =$$

$$167 + -167 =$$

$$-3647 + 3647 =$$

As you can see, whenever we add two opposites they cancel each other out — the answer always comes out zero.

If a is an integer, then $a + -a = 0$ and $-a + a = 0$.

This is called the Principle for Adding Opposites.

The problems on this page are too hard . . .

Make them easier by finding opposites and getting rid of them.


$$8 + -8 = 0$$

$$\cancel{8} + 6 + \cancel{-8} + 4 = 10$$

$$5 + 2 + -5 + 6 =$$

$$-7 + 6 + -4 + -6 =$$

$$9 + -2 + 8 + -9 =$$

$$3 + -8 + -3 + 8 =$$

$$37 + 4 + -37 + -5 =$$

$$6 + -9 + 8 + 9 + -6 + 3 =$$

$$-8 + 8 + 5 + 9 + -5 + 6 + -9 =$$

$$17 + -28 + 56 + 28 + -17 =$$

$$-12 + 5 + -6 + 12 + -5 =$$

James is still playing with his friends. He won 25 points. Then he lost 17, won 2, lost 19, won 2, won 17, lost 33, won 19, lost 25 and won 33. How did he come out?

Problem:

Answer:

Subtracting Integers

Once we have learned how to add and find opposites of integers, it is easy to subtract them. Every subtraction problem has the same answer as an addition problem.

$$\begin{cases} 8 - 5 = 3 \\ 8 +^{-}5 = 3 \end{cases}$$

$$\begin{cases} 10 - 1 = 9 \\ 10 +^{-}1 = 9 \end{cases}$$

To find the answer to a subtraction problem, all we have to do is change it to an addition problem — but instead of subtracting the second number we *add the opposite of the second number*.

Here is another example: $-5 - 4 =$

Instead of subtracting positive 4 we are going to add negative 4; so here's how you can change the problem:

$$-5 +^{-}4 =$$

Now the problem is just like the adding problems we have already done.

A loss of 5 and a loss of 4 comes out to a loss of 9:

$$-5 +^{-}4 = -9$$

Below are some more subtraction problems. Change each problem to an addition problem. Remember to add the *opposite of the second number*.

$6 +^{-}8 = -2$

$4 - 9 =$

$-4 - 8 =$

$-5 - 3 =$

$5 - 9 =$

$-9 - 4 =$

$8 - 5 =$

$4 - 7 =$

$-3 - 6 =$

$7 - 2 =$

$-8 - 8 =$

$-1 - 6 =$

In this subtraction problem the number being subtracted is negative:

$$7 - -5 =$$

First we have to change the problem. We have to add the opposite of the second number, so instead of subtracting negative 5 we are going to add positive 5:

$$7 + +5 =$$

A gain of 7 and a gain of 5 is the same as a gain of 12:

$$7 + +5 = 12$$

If this seems strange to you, think of the football field. When the referee takes away or rules out a 5 yard loss, we gain back the 5 yards.

Subtract.

Be careful on these.

$$-3 + +7 = 4$$

$$6 - -8 =$$

$$5 - -9 =$$

$$6 - 8 =$$

$$8 - -3 =$$

$$-6 - -8 =$$

$$-6 - -4 =$$

$$-9 - -6 =$$

$$-6 - 8 =$$

$$-8 - -8 =$$

$$10 - -5 =$$

$$-10 - -5 =$$

$$2 - -9 =$$

$$-2 - -9 =$$

As you can see, every time we have a subtraction problem, we can change it to an adding problem. But we have to remember to *add the opposite* of the second number:

<p>If a and b are integers, then $a - b = a + -b$.</p>

Subtract. Remember to add the *opposite* of the second number.
 (If the second number is positive, change it to negative.
 If the second number is negative, change it to positive.)

$4 - 2 =$	$5 - -3 =$	$-3 - -4 =$	$-6 - 2 =$
$-6 - -3 =$	$4 - 5 =$	$-3 - -7 =$	$7 - 6 =$
$8 - -5 =$	$-9 - -2 =$	$-2 - 7 =$	$8 - -4 =$
$-5 - -3 =$	$5 - 9 =$	$2 - -7 =$	$9 - -7 =$
$-8 - 8 =$	$-5 - -8 =$	$1 - 9 =$	$-7 - -7 =$
$8 - -3 =$	$-9 - 4 =$	$-8 - -3 =$	$7 - 9 =$
$-6 - -5 =$	$10 - -8 =$	$-12 - -4 =$	$-11 - 5 =$
$12 - -6 =$	$11 - -2 =$	$0 - 5 =$	$-1 - 1 =$
$-11 - 0 =$	$13 - -9 =$	$-15 - -6 =$	$17 - -8 =$
$-16 - 7 =$	$-13 - 5 =$	$18 - -9 =$	$-14 - 14 =$
$14 - -5 =$	$8 - 9 =$	$4 - 8 =$	$0 - -6 =$
$-10 - 10 =$	$-1 - -8 =$	$7 - 7 =$	$-14 - -4 =$

Subtract.

(Remember ...
 add the opposite of
 the bottom number.)

$$\begin{array}{r} -5 \\ - -6 \\ \hline \end{array}$$

$$\begin{array}{r} 6 \\ - -9 \\ \hline \end{array}$$

$$\begin{array}{r} 2 \\ - 6 \\ \hline \end{array}$$

$$\begin{array}{r} -8 \\ - -4 \\ \hline \end{array}$$

$$\begin{array}{r} 6 \\ - -9 \\ \hline \end{array}$$

$$\begin{array}{r} -11 \\ - 4 \\ \hline \end{array}$$

$$\begin{array}{r} 14 \\ - -8 \\ \hline \end{array}$$

$$\begin{array}{r} 16 \\ - 13 \\ \hline \end{array}$$

$$\begin{array}{r} -16 \\ - -13 \\ \hline \end{array}$$

$$\begin{array}{r} -10 \\ - 10 \\ \hline \end{array}$$

Add or subtract as indicated.

$$\ominus -6 + 10 =$$

$$-6 - 10 =$$

$$-3 + -11 =$$

$$-3 - -11 =$$

$$9 + 7 =$$

$$9 - 7 =$$

$$6 + -9 =$$

$$6 - -9 =$$

$$-8 + 2 =$$

$$\ominus -8 - 2 =$$

$$-7 + -6 =$$

$$-7 - -6 =$$

$$3 + 10 =$$

$$3 - 10 =$$

$$12 + -8 =$$

$$12 - -8 =$$

$$-35 + -15 =$$

$$\ominus -35 - -15 =$$

$$-18 + 18 =$$

$$-18 - 18 =$$

Add. (Think of gaining and losing yards.)

$$\begin{array}{r} -9 \\ + -4 \\ \hline \end{array} \quad \begin{array}{r} -5 \\ + 8 \\ \hline \end{array} \quad \begin{array}{r} 10 \\ + -7 \\ \hline \end{array} \quad \begin{array}{r} 6 \\ + 7 \\ \hline \end{array} \quad \begin{array}{r} -15 \\ + 5 \\ \hline \end{array} \quad \begin{array}{r} -8 \\ + 8 \\ \hline \end{array}$$

$$\begin{array}{r} -37 \\ + 26 \\ \hline \end{array} \quad \begin{array}{r} -53 \\ + -42 \\ \hline \end{array} \quad \begin{array}{r} 25 \\ + -26 \\ \hline \end{array} \quad \begin{array}{r} -84 \\ + 86 \\ \hline \end{array} \quad \begin{array}{r} -43 \\ + 0 \\ \hline \end{array} \quad \begin{array}{r} -25 \\ + -25 \\ \hline \end{array}$$

Subtract. (Add the opposite of the bottom number.)

$$\begin{array}{r} -9 \\ - -4 \\ \hline \end{array} \quad \begin{array}{r} -5 \\ - 8 \\ \hline \end{array} \quad \begin{array}{r} 10 \\ - -7 \\ \hline \end{array} \quad \begin{array}{r} 6 \\ - 7 \\ \hline \end{array} \quad \begin{array}{r} -15 \\ - 5 \\ \hline \end{array} \quad \begin{array}{r} -8 \\ - 8 \\ \hline \end{array}$$

$$\begin{array}{r} -37 \\ - 26 \\ \hline \end{array} \quad \begin{array}{r} -53 \\ - -42 \\ \hline \end{array} \quad \begin{array}{r} 25 \\ - -26 \\ \hline \end{array} \quad \begin{array}{r} -84 \\ - 86 \\ \hline \end{array} \quad \begin{array}{r} -43 \\ - 0 \\ \hline \end{array} \quad \begin{array}{r} -25 \\ - -25 \\ \hline \end{array}$$

Here are some longer problems.

$$13 - 3 - 6 - 1 =$$

$$16 - 10 - 2 - 3 =$$

$$8 - 2 - 2 - 2 =$$

$$10 - 3 - 3 - 4 =$$

$$9 - 3 - 6 - 5 =$$

$$12 - 7 - 5 - 4 =$$

$$8 - 5 - 5 - 5 =$$

$$6 - 5 - 4 - 3 =$$

$$11 - 9 - 6 - 6 =$$

$$3 - 7 - 4 - 2 =$$

$$12 - 15 - 10 - 8 =$$

$$7 - 7 - 7 - 7 =$$

Multiplying Integers

To name an integer we have to do two things. We have to tell the *sign* of the integer (positive or negative), and we also have to tell the *amount*.

When we multiply two integers, we need to break down the problem into two parts. First we figure out the sign of the answer; then we figure out the amount of the answer. To figure out the *sign* of the answer, all we have to do is remember these four rules:

POSITIVE • POSITIVE = POSITIVE
POSITIVE • NEGATIVE = NEGATIVE
NEGATIVE • POSITIVE = NEGATIVE
NEGATIVE • NEGATIVE = POSITIVE

To figure out the *amount* of the answer, we just multiply.

Multiply.

$8 \cdot -3 =$

$5 \cdot -4 =$

$-5 \cdot 4 =$

$-8 \cdot -3 =$

$-8 \cdot 2 =$

$-6 \cdot 7 =$

$8 \cdot 3 =$

$5 \cdot -6 =$

$8 \cdot 5 =$

$-8 \cdot 3 =$

$-3 \cdot -7 =$

$-4 \cdot -6 =$

$-8 \cdot -1 =$

$9 \cdot -7 =$

$-6 \cdot -6 =$

$4 \cdot 8 =$

$7 \cdot -9 =$

$6 \cdot -6 =$

$-9 \cdot -8 =$

$-3 \cdot 6 =$

$-6 \cdot 6 =$

$-7 \cdot 7 =$

$-5 \cdot -7 =$

$6 \cdot 6 =$

$1 \cdot -3 =$

$-1 \cdot 9 =$

$5 \cdot 0 =$

$-10 \cdot -8 =$

$2 \cdot 0 =$

$-4 \cdot -7 =$

$9 \cdot -10 =$

$-2 \cdot 0 =$

$0 \cdot -9 =$





$8 \cdot 7 =$

$2 \cdot -2 =$


$0 \cdot 8 =$

$-11 \cdot 3 =$

To see why these rules work we can think again about a football game. The *first integer* tells how many plays were made. A positive integer tells how many plays were made by *our* team; a negative integer tells how many plays were made by the *other* team. The *second integer* tells how many yards were gained or lost on each play. Positive integers show yards gained; negative integers show yards lost. The *answer* tells the outcome in terms of how many yards *our* team gained or lost. Here are some examples:



If it seems strange that we get a positive answer by multiplying two negative numbers, just remember that a loss for the other team is a gain for us. We can draw a football field and map out the plays to see why this is so.



Problem: $-3 \cdot -5 = 15$

Multiply.

$6 \cdot 7 =$

$-6 \cdot -7 =$

$6 \cdot -7 =$

$-6 \cdot 7 =$

$-9 \cdot -5 =$

$9 \cdot -5 =$

$9 \cdot 5 =$

$-9 \cdot 5 =$

$-8 \cdot -6 =$

$8 \cdot -8 =$

$-3 \cdot 5 =$

$-9 \cdot 9 =$

$-9 \cdot -6 =$

$4 \cdot -8 =$

Here's an easy way to tell
the sign of the answer:

Both positive
or
both negative $\left\{ \begin{array}{l} 4 \cdot 6 = 24 \\ -4 \cdot -6 = 24 \end{array} \right\}$ Answer
is
positive.

One positive
and
one negative $\left\{ \begin{array}{l} 4 \cdot -6 = -24 \\ -4 \cdot 6 = -24 \end{array} \right\}$ Answer
is
negative.

$4 \cdot 6 =$

$9 \cdot -7 =$

$-1 \cdot 16 =$

$-5 \cdot -1 =$

$6 \cdot 4 =$

$-7 \cdot 9 =$

$16 \cdot -1 =$

$-1 \cdot -5 =$

$-5 \cdot 8 =$

$-3 \cdot -7 =$

$-12 \cdot 0 =$

$-8 \cdot -9 =$

$8 \cdot -5 =$

$-7 \cdot -3 =$

$0 \cdot -12 =$

$-9 \cdot -8 =$

It doesn't matter which of the numbers comes first when we are multiplying, so we say that multiplication of integers is commutative.

Commutative Principle for Multiplication of Integers:

If a and b are integers, then $a \cdot b = b \cdot a$.

For example, $\underbrace{-3 \cdot 4}_{-12} = \underbrace{4 \cdot -3}_{-12}$

Multiply.

$$-3(9) =$$

$$(6)(-5) =$$

$$-8(-9) =$$

$$(-4)(-6) =$$

$$7(8) =$$

$$(-5)(7) =$$

$$-6(-6) =$$

$$(9)(9) =$$

$$1(9) =$$

$$9(7) =$$

$$-10 \cdot -9 =$$

$$9 \cdot 7 =$$

$$(-8)(1) =$$

$$(9)(7) =$$

$$6(-8) =$$

$$(3 \cdot 3) \cdot 7 =$$

$$(2)(43) =$$

$$3 \cdot (3 \cdot 7) =$$

Here are three different ways to write a multiplication problem:

$$3 \cdot -7 = -21$$

$$3(-7) = -21$$

$$(3)(-7) = -21$$

All of them say:

"3 times -7 equals -21."

$\begin{array}{l} \overset{-15}{(-3 \cdot 5)} \cdot 4 = \\ -3 \cdot \underbrace{(5 \cdot 4)}_{20} = \end{array}$	$\begin{array}{l} \overbrace{(-6 \cdot 8)} \cdot -2 = \\ -6 \cdot \underbrace{(8 \cdot -2)} = \end{array}$	$\begin{array}{l} \overbrace{(-3 \cdot -2)} \cdot -5 = \\ -3 \cdot \underbrace{(-2 \cdot -5)} = \end{array}$
$\begin{array}{l} (5 \cdot -8) \cdot -2 = \\ 5 \cdot (-8 \cdot -2) = \end{array}$	$\begin{array}{l} (-2 \cdot -2) \cdot -2 = \\ -2 \cdot (-2 \cdot -2) = \end{array}$	$\begin{array}{l} (-5 \cdot -5) \cdot 2 = \\ -5 \cdot (-5 \cdot 2) = \end{array}$

It doesn't matter which pair of numbers we multiply first. The answer comes out the same either way, so we say that multiplication of integers is associative.

Associative Principle for Multiplication of Integers:

If a , b and c are integers, then $(a \cdot b) \cdot c = a \cdot (b \cdot c)$.

For example, $\underbrace{(5 \cdot -2)}_{-30} \cdot 3 = 5 \cdot \underbrace{(-2 \cdot 3)}_{-30}$

Multiply.

$$\underbrace{2 \cdot 6}_{12} \cdot -3 = -36$$

$$(3)(7)(-2) =$$

$$-5 \cdot 6 \cdot -3 =$$

$$4 \cdot -5 \cdot 3 =$$

$$(-3)(-3)(-3) =$$

$$8 \cdot -2 \cdot -4 =$$

$$-8 \cdot -2 \cdot -2 =$$

$$(5)(-10)(2) =$$

$$-1 \cdot -1 \cdot 12 =$$

$$6 \cdot -5 \cdot -3 =$$

$$(4)(4)(4) =$$

$$46 \cdot -37 \cdot 0 =$$

Multiply.

$$6 \cdot 0 =$$

$$0 \cdot 7 =$$

$$8 \cdot 1 =$$

$$1 \cdot 3 =$$

$$5 \cdot -1 =$$

$$-1 \cdot 7 =$$

$$8 \cdot 0 =$$

$$0 \cdot -3 =$$

$$-6 \cdot 1 =$$

$$1 \cdot -5 =$$

$$9 \cdot -1 =$$

$$-1(18) =$$

$$-4 \cdot 0 =$$

$$0 \cdot 0 =$$

$$15 \cdot 1 =$$

$$1 \cdot 1 =$$

$$-4 \cdot -1 =$$

$$-1 \cdot -6 =$$

$$-13 \cdot 0 =$$

$$0(16) =$$

$$-16 \cdot 1 =$$

$$1 \cdot -17 =$$

$$53 \cdot -1 =$$

$$-1 \cdot 0 =$$

$$48 \cdot 0 =$$

$$0 \cdot 1 =$$

$$-63 \cdot 1 =$$

$$1(26) =$$

$$-1 \cdot -1 =$$

$$-1(-23) =$$

$$(-29)(0) =$$

$$0 \cdot -58 =$$

$$80 \cdot 1 =$$

$$1 \cdot 0 =$$

$$-8 \cdot -1 =$$

$$-1 \cdot 1 =$$

Sometimes multiplying can be pretty hard to do — but not when we are multiplying by 0, 1 or -1. Then it's very simple. Here are the principles that tell us what to do:

Principle for Multiplying by Zero:

If a is any integer, then $a \cdot 0 = 0$
and $0 \cdot a = 0$.

Principle for Multiplying by One:

If a is any integer, then $a \cdot 1 = a$
and $1 \cdot a = a$.

Principle for Multiplying by Negative One:

If a is any integer, then $a \cdot -1 = -a$
and $-1 \cdot a = -a$.

"Any integer times negative one is the opposite of the integer."

Order of Operations

We saw that parentheses are often used in algebra to show what to do first.
Look at this problem:

$$4 \cdot (5 + 2) =$$

The parentheses tell us to add $5 + 2$ first, and then to multiply the answer by 4:

$$4 \cdot \underbrace{(5 + 2)}_7 = 28$$

Below are some problems for you to do.

$$5 \cdot (2 + 3) =$$

$$7 - (5 - 2) =$$

$$(-6 + 4) \cdot 3 =$$

$$(5 \cdot 2) + 3 =$$

$$(7 - 5) - 2 =$$

$$-6 + (4 \cdot 3) =$$

$$5 + (2 \cdot 3) =$$

$$7 + (5 + 2) =$$

$$(-2 \cdot -2) + 6 =$$

$$(5 + 2) \cdot 3 =$$

$$(7 + 5) + 2 =$$

$$-2 \cdot (-2 + 6) =$$

$$(4 - 3) \cdot (5 - 1) =$$

$$(3 \cdot 4) + (4 \cdot 2) + (3 \cdot 3) =$$

$$(3 - 5) \cdot (10 - 6) =$$

$$(-3 \cdot 4) + (4 \cdot 2) + (-3 \cdot 3) =$$

$$(5 - 3) \cdot (6 - 10) =$$

$$(-3 \cdot -4) + (-4 \cdot 2) + (3 \cdot -3) =$$

$$(3 - 5) \cdot (6 - 10) =$$

$$(-3 \cdot -4) + (-4 \cdot -2) + (-3 \cdot 3) =$$

$$(5 - 3) \cdot (10 - 6) =$$

$$(-3 \cdot 4) + (4 \cdot -2) + (-3 \cdot 3) =$$

Here is a problem that doesn't have any parentheses to show what to do first:

$$5 + 3 \cdot 4$$

There are two ways you could try to do this problem.

Multiplying first:

$$5 + \underbrace{3 \cdot 4}_{12} = 17 \quad \text{C}$$

Adding first:

$$\underbrace{5 + 3}_{8} \cdot 4 = 32 \quad \text{X}$$

As you can see, the answers are different. The first one, 17, is right because of a rule we always follow in doing computations:

1. If there are *parentheses*, first do what is in them.
2. Then do all the *multiplying*, from left to right.
3. Finally, do the rest of the *adding and subtracting*, from left to right.

See if you can follow this rule on each problem below.

$(8 + 5) \cdot 2 =$

$(5 + -7) \cdot 2 =$

$7 + (6 - 2) \cdot 5 =$

$8 + 5 \cdot 2 =$

$5 + -7 \cdot 2 =$

$16 + 3 \cdot 7 - 12 =$

$7 \cdot 3 + 10 =$

$8 \cdot (2 - 4) =$

$6 \cdot 4 + 5 \cdot 4 =$

$(6 + 2) \cdot 4 =$

$8 \cdot 2 - 4 =$

$8 + 4 \cdot (5 + 2) =$

$5 \cdot 6 - 12 =$

$-5 + 3 \cdot -2 =$

$5 \cdot (7 - 3) - 6 =$

$25 - 3 \cdot 6 =$

$-5 \cdot 3 + -2 =$

$9 - (3 + 4) - 2 =$

$3 \cdot (6 + 4) =$

$-2 + -2 \cdot -2 =$

$12 + 5 \cdot (8 - 2) =$

$$\begin{array}{l} \overbrace{3 \cdot 5}^{15} + \overbrace{4 \cdot 5}^{20} = 35 \\ \underbrace{(3 + 4)}_7 \cdot 5 = 35 \end{array}$$

$$\begin{array}{l} \overbrace{6 \cdot 2} + \overbrace{5 \cdot 2} = \\ \underbrace{(6 + 5)} \cdot 2 = \end{array}$$

$$\begin{array}{l} \overbrace{3 \cdot 5} + \overbrace{3 \cdot 2} = \\ 3 \cdot \underbrace{(5 + 2)} = \end{array}$$

$$\begin{array}{l} 5 \cdot 10 + 4 \cdot 10 = \\ (5 + 4) \cdot 10 = \end{array}$$

$$\begin{array}{l} 3 \cdot -4 + 4 \cdot -4 = \\ (3 + 4) \cdot -4 = \end{array}$$

$$\begin{array}{l} 7 \cdot 3 + 7 \cdot 7 = \\ 7 \cdot (3 + 7) = \end{array}$$

$$\begin{array}{l} (-4)(3) + (-5)(3) = \\ (-4 + -5)(3) = \end{array}$$

$$\begin{array}{l} (-7)(-5) + (4)(-5) = \\ (-7 + 4)(-5) = \end{array}$$

$$\begin{array}{l} -2 \cdot 4 + -2 \cdot 6 = \\ -2 \cdot (4 + 6) = \end{array}$$

Were you surprised to see the answers come out the same in each pair of problems? If you were, then try thinking about it like this:

$$\begin{array}{c} \text{3 fives} \quad \text{4 fives} \\ \boxed{3 \cdot 5} + \boxed{4 \cdot 5} \\ \boxed{(3 + 4) \cdot 5} \\ \text{7 fives} \end{array}$$

Doesn't it make sense for the answers to come out the same? After all, 3 fives and 4 fives is equal to 7 fives. Since this works for any integers we may choose, we say that multiplication of integers is **distributive** over addition.

Distributive Principle:

If a , b and c are integers, then $(b + c) \cdot a = b \cdot a + c \cdot a$
and $a \cdot (b + c) = a \cdot b + a \cdot c$.

You've learned two ways to solve this problem:

$$5(3 + 8) =$$

On page 30 you learned to do what is in the parentheses first, then multiply:

$$5(\overbrace{3 + 8}) = 5(11) = 55$$

And on page 31 you learned that using the Distributive Principle gives the same answer:

$$5(\overbrace{3 + 8}) = 5(3) + 5(8) = 15 + 40 = 55$$

When we use the Distributive Principle we can save some work by doing the multiplications in our head and just writing the products:

$$5(\overbrace{3 + 8}) = 15 + 40 = 55$$

Do each problem two ways.

$$6(\overbrace{4 + 6}) = 6(10) = 60$$

$$6(\overbrace{4 + 6}) = 24 + 36 = 60$$

$$7(\overbrace{20 + 8}) =$$

$$7(\overbrace{20 + 8}) =$$

$$3(8 + 2) =$$

$$3(8 + 2) =$$

$$8(-4 + 1) =$$

$$8(-4 + 1) =$$

$$-4(9 + -3) =$$

$$-4(9 + -3) =$$

$$-3(30 + -2) =$$

$$-3(30 + -2) =$$

$$3(2 - 6) = 3(2 + -6) = 3(-4) = -12$$

$$3(2 - 6) = 3(2 + -6) = 6 + -18 = -12$$

$$10(3 - 8) =$$

$$10(3 - 8) =$$

$$-2(-4 - 7) =$$

$$-2(-4 - 7) =$$

Dividing Integers

In division problems, the number we divide *by* is called the **divisor** and the number we divide *into* is called the **dividend**.

$$12 \div 4 = 3 \qquad 4 \overline{)12} \begin{array}{r} 3 \\ \end{array}$$

Diagram illustrating the division of 12 by 4. The number 4 is labeled as the **divisor** and 12 as the **dividend**. The result is 3.

When you divide integers you have to break down the problem into two parts. We find the *amount* of the answer by dividing, and we find the *sign* of the answer by following these rules:

- POSITIVE • POSITIVE = POSITIVE
- POSITIVE • NEGATIVE = NEGATIVE
- NEGATIVE • POSITIVE = NEGATIVE
- NEGATIVE • NEGATIVE = POSITIVE

These rules are the same as the rules for multiplication. That's because the answer to a division problem can be found by reversing a multiplication problem.

$18 \div 3 = 6$	because	6 times 3 is 18.
$18 \div -3 = -6$	because	-6 times -3 is 18.
$-18 \div 3 = -6$	because	-6 times 3 is -18.
$-18 \div -3 = 6$	because	6 times -3 is -18.

Here are some division problems for you:

$12 \div 3 = 4$	$10 \div 5 =$	$-18 \div 6 =$
$-12 \div -3 = 4$	$-10 \div -5 =$	$18 \div 6 =$
$12 \div -3 = -4$	$10 \div -5 =$	$18 \div -6 =$
$-12 \div 3 = -4$	$-10 \div 5 =$	$-18 \div -6 =$
$-7 \div -7 =$	$-15 \div 1 =$	$-9 \div -9 =$
$-7 \div 7 =$	$-15 \div -1 =$	$-9 \div 9 =$
$7 \div 7 =$	$15 \div -1 =$	$0 \div 9 =$
$7 \div -7 =$	$15 \div 1 =$	$9 \div 0 =$

Can you get the last two problems? If not, the next page may help you.

$$12 \div 4 = \text{What number times 4 equals 12? } \underline{3}$$

$$12 \div 4 = 3$$

$$0 \div 9 = \text{What number times 9 equals 0? } \underline{0}$$

$$0 \div 9 = 0$$

$$9 \div 0 = \text{What number times 0 equals 9? } \underline{\text{none}}$$

This problem has no answer.

In fact, no number divided by zero has an answer. That's why we say:

We can *never* divide by 0.

Do these problems. If a problem has no answer, cross it out.

$$(7-7) \div (4+6) = 0 \div 10 = 0$$

$$(5+5) \div (5-5) =$$

~~$$(4+6) \div (7-7) = 10 \div 0$$~~

$$(-3-2) \div (-3+2) =$$

$$(-8+2) \div (-3+3) =$$

$$(-6-6) \div (5+2) =$$

$$(-3+3) \div (-8+2) =$$

$$(7+7) \div (-7-7) =$$

$$(12-4) \div (4-12) =$$

$$(6+4) \div (4-6) =$$

$$(4-12) \div (12-4) =$$

$$(11+-11) \div (-3+3) =$$

IMPORTANT NOTICE

There are two big differences between dividing integers and the other operations you have learned (adding, subtracting and multiplying).

1. We can *never* divide by zero.
2. If the divisor doesn't go into the dividend evenly, then the answer will not be an integer. For example, $10 \div 3$ does not equal any integer. We will discuss problems like this when we study rational numbers in Book 5.

Written Work

Do these problems on some clean paper. Label each page of your work with your name, your class, the date, and the book number. Also number each problem. Keep this written work inside your book, and turn it in with your book when you are finished. Please do a neat job.

1. Make a list of all the prime numbers up to 50. (See page 4 if you need help.)
2. Break down each of these numbers into prime factors: 8, 45, 50, 150, 256, 500. (See page 5.)
3. What are integers? (See page 7.)
4. Write down an example of each of these principles:
 - a. Principle for Adding Zero (See page 11.)
 - b. Commutative Principle for Addition of Integers (See page 12.)
 - c. Associative Principle for Addition of Integers (See page 13.)
 - d. Principle for Adding Opposites (See page 16.)
 - e. Commutative Principle for Multiplication of Integers (See page 26.)
 - f. Associative Principle for Multiplication of Integers (See page 27.)
 - g. Principle for Multiplying by Zero (See page 28.)
 - h. Principle for Multiplying by One (See page 28.)
 - i. Distributive Principle (See page 31.)
5. Write a story to fit this problem: $40 + -5 + -25 + -10 =$
6. Sandy and Terry got into an argument about the following problem:

$$6 + 2 \cdot 5 =$$

Sandy said the problem should be done like this:

$$\underbrace{6 + 2}_{8} \cdot 5 = 40$$

Terry said that this was the correct way:

$$6 + \underbrace{2 \cdot 5}_{10} = 16$$

Who was right? Explain why. (See page 30.)

Why can't we divide by zero?

Written Work Book #1	Your Name Period No. Date	
① 2, 3, 5, 7,		
②	45	50
$\begin{array}{c} 8 \\ \wedge \\ 2 \cdot 4 \\ \wedge \\ 2 \cdot 2 \\ 8 = 2 \cdot 2 \cdot 2 \end{array}$		
150	256	500
③ Integers are		
④ a. $5 + 0 = 5$		
b. $-3 + 5 = 5 + -3$		

Practice Test

You are now ready to take the practice test to find out how well you understand the work in this book. When you are finished with the test, ask your teacher for the answer key so you can correct it yourself. Then you can review the sections where you still need practice.
Good luck!

Break down each number into prime factors.

21

21 =

40

40 =

42

42 =

Add.

$5 + 8 =$

$8 + 2 =$

$$\begin{array}{r} -5 \\ + -4 \\ \hline \end{array}$$

$$\begin{array}{r} -3 \\ + 10 \\ \hline \end{array}$$

$6 + -6 =$

$-4 + -3 =$

$$\begin{array}{r} 2 \\ + -9 \\ \hline \end{array}$$

$-6 + 4 =$

$0 + -7 =$

$$\begin{array}{r} 9 \\ + -2 \\ \hline \end{array}$$

Subtract.

$5 - 8 =$

$8 - 2 =$

$$\begin{array}{r} -5 \\ - -4 \\ \hline \end{array}$$

$$\begin{array}{r} -3 \\ - 10 \\ \hline \end{array}$$

$6 - -6 =$

$-4 - -3 =$

$$\begin{array}{r} 2 \\ - -9 \\ \hline \end{array}$$

$-6 - 4 =$

$0 - -7 =$

$$\begin{array}{r} 9 \\ - -2 \\ \hline \end{array}$$

Multiply.

$5 \cdot 8 =$

$(8)(-2) =$

$$\begin{array}{r} -5 \\ \times -4 \\ \hline \end{array}$$

$$\begin{array}{r} -3 \\ \times 10 \\ \hline \end{array}$$

$(6)(-6) =$

$-4 \cdot -3 =$

$$\begin{array}{r} 2 \\ \times -9 \\ \hline \end{array}$$

$-6(4) =$

$0 \cdot -7 =$

$$\begin{array}{r} 9 \\ \times -2 \\ \hline \end{array}$$

Divide.

$$-14 \div -2 =$$

$$0 \div 5 =$$

$$48 \div -6 =$$

$$6 \div -3 =$$

$$-8 \div -8 =$$

$$-18 \div -1 =$$

Compute.

$$5 \cdot -2 + 4 =$$

$$5 \cdot 3 + 5 \cdot 4 =$$

$$4 + (8 - 3) \cdot 2 =$$

$$5(-2 + 4) =$$

$$5(3 + 4) =$$

$$5 + 3 \cdot 2 - 6 =$$

$$5 + -2 \cdot 4 =$$

$$-6 \cdot 2 + -4 \cdot 2 =$$

$$3 + 5 \cdot (5 - 2) =$$

$$(5 + -2) \cdot 4 =$$

$$(-6 + -4) \cdot 2 =$$

$$5(4 - 1) - 6 =$$

Match an example with each principle.

Principles

Examples

___ Adding Zero

a) $-5 \cdot -4 = -4 \cdot -5$

___ Multiplication is Commutative

b) $-5 + -4 = -4 + -5$

___ Multiplication is Associative

c) $-6 + 6 = 0$

___ Multiplying by Zero

d) $-3 \cdot 0 = 0$

___ Addition is Commutative

e) $-3 + 0 = -3$

___ Adding Opposites

f) $5 \cdot 1 = 5$

___ Addition is Associative

g) $(-3 \cdot -4) \cdot 5 = -3 \cdot (-4 \cdot 5)$

___ Multiplying by One

h) $-2 \cdot (5 + 3) = -2 \cdot 5 + -2 \cdot 3$


___ Distributive Principle

i) $(-3 + -4) + 5 = -3 + (-4 + 5)$

Key to Algebra® workbooks

- Book 1: Operations on Integers
- Book 2: Variables, Terms, and Expressions
- Book 3: Equations
- Book 4: Polynomials
- Book 5: Rational Numbers
- Book 6: Multiplying and Dividing Rational Expressions
- Book 7: Adding and Subtracting Rational Expressions
- Book 8: Graphs
- Book 9: Systems of Equations
- Book 10: Square Roots and Quadratic Equations

Answers and Notes for Books 1–4
Answers and Notes for Books 5–7
Answers and Notes for Books 8–10
Reproducible Tests for Books 1–10



Also available in the Key to...® series

- Key to Fractions®
- Key to Decimals®
- Key to Percents®
- Key to Geometry®
- Key to Measurement®
- Key to Metric Measurement®
- The Key to Tracker®, the online companion for the
Key to Algebra, Fractions, Decimals, and Percents workbooks



Key Curriculum Press
INNOVATORS IN MATHEMATICS EDUCATION



ISBN 978-1-55953-001-9



9 781559 530019



9 0000